

**IN THE CLAIMS**

Please cancel claims 6-11 without prejudice or disclaimer.  
Applicants reserve the right to file one or more continuation or  
divisional applications directed to the canceled subject matter.  
Please add new claims 12-17.

Claims 1-11 (Canceled)

Claim 12. (New) A device for providing uniform emission of a flying insect attractant consisting of:

(a) a container having a top surface, a bottom surface, and side walls, having a composition of at least one volatile liquid attractant for targeting at least one flying insect species, and a first opening in the top of said container to receive a wick;

(b) an adjustable wick frictionally inserted into said first opening of said container wherein said wick area exposed to the atmosphere can be increased or decreased over time to maintain maximum attractant emission, and

(c) second opening in the top of said container, smaller than said first opening and large enough to prevent film closure by a liquid,

wherein said second opening maintains air pressure in said container wherein said container emits said at least one

volatile attractant for at least about six months without replenishment of said attractant.

Claim 13. (New) The device of claim 12 wherein said composition further includes at least one volatile insecticide wherein said at least one volatile insecticide is absorbed by said wick.

Claim 14. (New) The device of claim 12 wherein said first and second opening form a single opening with the first opening being of a size to frictionally hold a wick and said second opening is elongated and narrower than said first opening.

Claim 15. (New) A trap for flying insects comprising:

- (a) a trap comprising a device consisting of a container having a top surface, a bottom surface, and side walls, having a composition of at least one volatile liquid attractant for targeting at least one flying insect species, and a first opening in the top of said container to frictionally receive a wick;

(b) an adjustable wick frictionally inserted into said first opening of said container wherein the length of said wick is frictionally adjustable to provide a uniform emission rate of said at least one attractant which results in maximum attraction of said flying insect over an extended period of at least about two months, and

(c) a second opening in the top of said container, smaller than said first opening and large enough to prevent film closure by a liquid, wherein said second opening maintains air pressure in said container

wherein said container emits said at least one volatile attractant for at least about six months without replenishment of said attractant.

Claim 16. (New) The trap of claim 15 wherein said composition further includes at least one volatile insecticide wherein said at least one volatile insecticide is absorbed by said wick.

Claim 17. (New) A method for mass trapping of at least

one targeted flying insect comprising:

- (a) placing in a trap at least one device consisting of a container, having a top surface and bottom surface and side walls, having a composition of at least one volatile liquid attractant for targeting at least one flying insect species and a first opening to frictionally receive a wick, a wick inserted into said first opening of said container wherein the length of said wick is frictionally adjustable to provide a uniform emission rate of said at least one volatile attractant which results in maximum attraction of said at least one targeted flying insect species for at least about two months, and a second opening in the top of said container, smaller than said first opening and large enough to prevent film closure by a liquid wherein said second opening maintains air pressure in said container,
- (b) adjusting said wick to provide a uniform emission rate of said at least one attractant for maximum attraction of said target insect

over an extended period of at least about two months, and

- (c) hanging at least one of said trap in a location suspected of being infested by at least one of a targeted pest flying insect;

wherein said container emits attractant of at least about six months without replenishment of said attractant.